

ALPHA S8-E, I (M) H01B00165 (14.8cm(W) x 21cm(H)\_ 13.03.2020 Booklet ( $\frac{1}{2}$ A4)

• Thank you for purchasing **DLPHD** Instant Water Heater, please read this manual thoroughly and understand the terms before use. After reading keep this manual handy for future reference.

### SIGNAL EXPLANATION



#### **SAFETY PRECAUTION**


Indicating when product is used wrongly, user may get serious injure or damage to property.

Please read carefully and follow the specified note.



## **SAFETY PRECAUTION**

1. INLET and OUTLET connection of the heater shall not be reversed.



2. Avoid installing heater on a direct path of the water spray.




Do not block heater OUTLET in any way.



4. Do not attempt repair unit yourself.



5. Do not leave children, elderly or disable person alone in shower.




6. Engage qualified electrician for installation.




7. Test the water temperature with hand before stepping into shower.




ALPHA S8-E, I (M) H01B00165 (14.8cm(W) x 21cm(H)\_ 13.03.2020 Booklet (½A4)



ALPHA S8-E, I (M) H01B00165 (14.8cm(W) x 21cm(H)\_ 13.03.2020 Booklet ( $\frac{1}{2}$ A4)



ALPHA S8-E, I (M) H01B00165 (14.8cm(W) x 21cm(H)\_ 13.03.2020 Booklet (½A4)



ALPHA S8-E, I (M) H01B00165 (14.8cm(W) x 21cm(H)\_ 13.03.2020 Booklet ( $\frac{1}{2}$ A4)

## **GENERAL INFORMATION**

#### **ELECTRICAL:**

## A


### CAUTION: THIS APPLIANCE MUST BE EARTHED.

- The installation shall comply with GP/ST/No.6/2016, Guideline for the Design, Installation, Inspection, Testing, Operation and Maintenance of the Water Heater Systems by Energy Commission
- 2. The heater must be permanently connected to the electricity supply through a double pole linked switch having a contact separation of at least 3mm in all poles incorporated in the circuit, and out of reach from the person using the shower.
- Only fixed and permanent connection is allowed, plug and socket shall not be used. In the case where a direct connection cannot be made to the water heater, only correctly sized approved connector and connection box shall be used.
- For connection within the shower cubicle and below the ceiling, the connection box shall be IPX5 rated.
- 5. An approved, correctly sized (MS IEC 60335-1:2013) copper flexible cable with maximum 1.5 m length, shall be used to connect the water heater to the connection box.
- 6. Minimum cable size must be not less than 4 mm<sup>2</sup>.
- 7. RCD at the main switch board of the premise need to test at least once a month.

Voltage (V~)	Power (kW)	Amperes (A)	Recommended Conductor Size (csa)			Fuse/	ON/OFF
			mm²	Conduit Cable	Flexible Cable	MCB (A)	Switch (A)
220 - 50/60Hz	3.5	16.0	4.0	7/0.85mm	56/0.30	20	20
	4.5	20.5	4.0	7/0.85mm	56/0.30	25	25
	5.5	25.0	4.0	7/0.85mm	56/0.30	32	32
	6.0	27.3	4.0	7/0.85mm	56/0.30	32	32
	6.5	29.6	4.0	7/0.85mm	56/0.30	40	40
	7.5	34.1	6.0	7/1.04mm	84/0.30	40	40
	8.0	36.4	6.0	7/1.04mm	84/0.30	40	40
230 - 50/60Hz	3.5	15.2	4.0	7/0.85mm	56/0.30	20	20
	5.5	24.0	4.0	7/0.85mm	56/0.30	32	32
	6.6	28.7	4.0	7/0.85mm	56/0.30	32	32
	8.8	38.3	6.0	7/1.04mm	84/0.30	45	45
240 - 50/60Hz	3.6	15.0	4.0	7/0.85mm	56/0.30	20	20
	4.2	17.5	4.0	7/0.85mm	56/0.30	20	20
	7.1	29.6	4.0	7/0.85mm	56/0.30	40	40
	9.5	39.6	6.0	7/1.04mm	84/0.30	45	45

Table 1: Electrical Loading Table

8. A typical electrical wiring connection is shown in diagram 1.



ALPHA S8-E, I (M) H01B00165 (14.8cm(W) x 21cm(H)\_ 13.03.2020 Booklet (½A4)

## **GENERAL INFORMATION**

#### WATER:

- 1. The heater works at a minimum water flow rate of 3 liters/min. Note that for heater model without built-in pump an incoming water with consistently flow rate of 5 liters/min and above would excel its performance.
- 2. A typical plumbing connection is shown in diagram 2.

#### SAFETY:

Note: An approved type of Residual Current Device (RCD) of 10mA sensitivity shall be installed in conjunction with the heater.

- 1. The built-in Earth Leakage Sensing Device (ELSD) will cut-off the power supply to the heater in the event of current leakage of as low as 15mA.
- 2. The heater operates when there is sufficient water to trigger the Flow Switch.
- 3. The Thermal Cut-out will automatically cut-off the power supply if there is abnormal rise in the water temperature during shower.
- 4. Heater casing designed to a high degree of protection (IP25), it prevents water from entering into the heater during shower.

#### **IMPORTANT NOTE:**

- 1. This heater is tested suitable for use in the shower cubicles. However, do not install the heater unit where is consistent spray directly over the unit.
- 2. If the heater's ELSD trips during normal operation, switch off the mains supply and contact the service centre for repair(s).
- 3. In the event if the heater malfunctioned, never attempt to repair the unit by yourself.
- 4. The outlet point of this heater, hose and handshower act as a vent. They must not be blocked, obstructed or modified in any way. Fittings not recommended by manufacturer must not be connected. The use of unapproved accessories may not only affect its performance and safety of the user but also voids its warranty.
- 5. If there is a sudden reduction of incoming water, the shower temperature will increase. This does not indicate the fault of the heater. Adjust the Temperature Control Knob (to reduce heating power) or Water Regulator (to increase flow) in order to get the desired shower temperature.
- Always test the water spray temperature with your hand before stepping into the shower.
- 7. This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- 8. Do not leave your children, elderly, infant or disable persons unattended in the shower.

## **INSTALLATION PROCEDURES**

#### IMPORTANT:

- All plumbing work shall be completed before proceeding to electrical wiring connection.
- Metalic / Chromed hose and conductive control valve shall not be used (in Malaysia
- only- Malaysian government's regulations. Optional for others).

  Heater outlet shall not be connected to any form of tap or fittings not recommended by manufacturer.
- The heater unit must be installed on solid wall to avoid the possibility of distorting the unit.
- Inlet and Outlet connections of the heater shall not be reversed.


#### 1. Decide the mounting position:

- a) Turn off the water source.
- b) Remove screw at the bottom of the heater.
- c) Remove Heater Cover by lifting the bottom upward.
- d) Mark out 4 mounting points on the wall.




lift up Cover from bottom

It is recommended that mount the bottom of the heater be 1.50 meters /5 feet above the floor of the bathroom. However the height of the installation level is at the discretion of the user.




#### 2. Mounting of the heater:


- a) Drill the 4 holes with 5.0mm diameter drill bit.
- b) Put in the wall plugs and install the heater to the wall with screws provided.



## 3. Shower Accessories Installation:

- a) Fix the Shower Holder and Rail Supports (Top and Bottom) on to the Sliding Rail.
- b) Mark the positions of the 2 holes of the Rail Supports - be sure that the top portion is in level or not higher than the top of the heater.
- c) Drill the holes and mount the shower accessories with wall plugs and screws provided. Insert the Rail Support Caps on to the Rail Supports.





ALPHA S8-E, I (M) H01B00165 (14.8cm(W) x 21cm(H)\_ 13.03.2020 Booklet (½A4)


## **INSTALLATION PROCEDURES**

#### 5. Electrical Connection:



#### **CAUTION:**


- Make sure the electrical mains is off before carrying on the electrical work.
- Plug, socket and undersize cable shall not be used.
- a) Insert electrical cable through the rubber Cable grommet for Side Entry or Wall Embedded Entry Entry.



RED or BROWN ............. LIVE (L)
BLACK or BLUE ........... NEUTRAL (N)
GREEN/YELLOW or
YELLOW/GREEN ........ EARTH (

)

- c) Replace the Heater Cover:
  - i) To ensure correct position, turn the Electronic Control Unit (at Heater Base) to the off position (as shown in picture).
  - ii) Install the heater cover and ensure that the Temperature Control Knob is aligned (point to 'OFF') to its control unit accordingly.
  - iii) Secure the screw as shown.



Embedded

Cable Entry

Side

#### 6. Test Run Of Heater:

- a) Turn on Stop Valve.
- b) Switch on heater switch. The 'ELSD' will light up.
- c) Turn on the Temperature Control Knob. The 'HEATER' indicator will light up. The water should be warm in a few seconds.
- d) The water would get warmer as the Temperature Control Knob is turned clockwise.
- e) Check the built-in ELSD as follow:
  - Press 'TEST' button: unit should trip and cut off power supply.
  - Press 'RESET' button: unit should resume normal function. If the above mentioned steps prevail, the ELSD is functioning normally.

## **OPERATING PROCEDURES**

- 1 Switch on the heater switch outside the bathroom. The 'ELSD' indicator would light up.
- 2 Turn on the Stop Valve. Adjust the Water Regulator for suitable water shower volume.
- 3 Turn on Temperature Control Knob. The 'HEATER' indicator would light up. The shower water would get warmer as the Temperature Control Knob is turned clockwise from 'ON' to 'MAX'.
- 4 Normal cold water can be selected by setting the Temperature Control Knob to 'OFF' position.
- 5 Switch off the heater switch when not in use.


#### Note:


- The shower water may not be hot enough even at 'MAX' in areas whereby the water pressure is exceptionally high and cold. This can be remedied by reducing the water inflow or replacing the unit with one that is of higher power (if it is approved by relevant authorities).
- Water will continue to drip from shower head for few minutes when turn off the Stop Valve. This is normal due to some water remain in the shower head.
- The built-in shower Pump can be independently controlled by using the Pump Control Knob. In low pressure areas (below 15 p.s.i.), adjust pump speed to obtain desired spray of water. If water pressure is high (over 15 p.s.i.), turn "OFF" the Pump Control Knob to achieve hotter shower. (Model S8-i)
- The Pump Activator is specially designed for low pressure areas whereby the water pressure is too weak to trigger the built-in shower Pump. Just press the Pump Activator Button and the built-in shower Pump will spring into action. (Model S8-i)
- It is recommended that the built-in shower Pump be operated at intervals of 30 minutes with 30 minutes rest in between. (Model S8-i)

#### **CUSTOMER GUIDANCE:** a) Connection of heater INLET: b) Connection of heater OUTLET: Connect Connect Stop Valve to INLET Flexible Hose 1 to OUTLET d) Built-in ELSD: c) Temperature Control Knob: Temperature Control Knob Check the ELSD at least once a month as follow: Turn to Turn to Turn on electric and water supply to the heater. reduce heater increase heater Press TEST button: Heater would trip and power go off. power. • Press RESET button: Heater power would resume. Contact service centre for repair if there is malfunction. e) Stop Valve: f) Water Regulator: Water Regulator Adjust clockwise to reduce Turn to reduce water volume Turn to increase water volume water inflow if shower CLOSE PETER CIPEN temperature not hot enough even at 'MAX' 4⊗2 power setting. ON

10

# **OPERATING PROCEDURES** g) Shower Accessories





## **MAINTENANCE:**




## DO NOT USE THINNER, ALCOHOL OR PETROL

**CLEAN THE FILTER REGULARLY** 

You may clean the heater with a damp cloth and mild detergent but do not use thinner, alcohol, petrol or any other corrosive solutions.

## a) Stop Valve




b) Handshower

Filter Mesh Washer

The filter should be cleaned whenever there is a sign of inlet water blockage. a) Stop Valve

Remove Filter Mesh Cap. Pull out Filter Mesh and flush it with water to remove any trapped sediments. Slot back to its original position before securing it with the Filter Mesh Cap.


## b) Handshower




#### Note:

- Make sure to turn off the incoming water supply before the operation.
- This has to be done more regularly in area where the inlet water supply is dirty.
- The design of the Stop Valve may look different from the picture shown in the manual as it is subjected to requirement from different countries.






ALPHA S8-E, I (M) H01B00165 (14.8cm(W) x 21cm(H)\_ 13.03.2020 Booklet (½A4)



ALPHA S8-E, I (M) H01B00165 (14.8cm(W) x 21cm(H)\_ 13.03.2020 Booklet (½A4)



ALPHA S8-E, I (M) H01B00165 (14.8cm(W) x 21cm(H)\_ 13.03.2020 Booklet ( $\frac{1}{2}$ A4)

# **GENERAL INFORMATION**

## **SPECIFICATIONS**

		· · · · · · · · · · · · · · · · · · ·		
Heater Power Rating	S8-E	3.60kW 240V~ 50Hz		
	S8-i	3.66kW 240V~ 50Hz		
Others Power Rating		Refer to Electrical Loading Table for reference		
Water Connection		Ø 15.0mm (½" BSP)		
Operating Condition		Open Outlet		
Protection Against Elec	ctric Shock	Class I		
Water Temperature Co	ntrol	Electronics		
Degree Of Protection		IP25		
Minimum Flow Rate		3 liters / minute		
Minimum Pressure		20kPa (0.2 bar / 2.9 psi)		
Maximum Inlet Pressu	'e	0.38MPa (3.8 bar / 55 psi)		
Heater Dimension		380mm (L) x 220mm (W) x 99mm (H)		
11 NI-++ \\\/	S8-E	1.5kg		
Heater Nett Weight	S8-i	2.0kg		

ALPHA S8-E/i (M) H01B00165 13.03.2020

<sup>\*</sup> Due to the minor changes in design or otherwise the picture(s) shown in this manual may sometimes differ from the actual.

<sup>\*</sup> All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without prior written permission from Alpha Electric Co. Sdn. Bhd.