

• Thank you for purchasing **ILPHI** Instant Water Heater, please read this manual thoroughly and understand the terms before use. After reading keep this manual handy for future reference.

SIGNAL EXPLANATION



WARNING

Indicating when product is used wrongly, user may get serious injure or damage to property.

Please read carefully and follow the specified note.



WARNING

WAITKIING

out in accordance with local regulation.




1. Earthing installation must be carried

WARNING


2. This appliance is not to be used for a potable water supply.



3. Do not use heater if AUTO TEST or LINE FAULT indicator show in RED light.




 INLET and OUTLET connection of the heater must not be reversed and Do Not block heater OUTLET in any way.



Installation shall be done by competent person recommended by the manufacturer.



6. Avoid installing heater on a direct path of the water spray.




7. Do not attempt repair unit yourself.





8. Test the water temperature with hand before stepping into shower.





ALPHA Smart 18E/EP/i (M) H01K00038 (14.8cm(W) x 21cm(H)_15.11.2023 Booklet ($\frac{1}{2}$ A4)





ALPHA Smart 18E/EP/i (M) H01K00038 (14.8cm(W) x 21cm(H)_15.11.2023 Booklet ($\frac{1}{2}$ A4)

GENERAL INFORMATION


ELECTRICAL: / CAUTION: THIS APPLIANCE MUST BE EARTHED.

- 1. The installation shall comply with GP/ST/No.6/2016, Guideline for the Design, Installation, Inspection, Testing, Operation and Maintenance of the Water Heater Systems by Energy Commission.
- 2. The heater must be permanently connected to the electricity supply through a double pole linked switch having a contact separation of least 3mm in all poles incorporated in the circuit, and out of reach from the person using the shower.
- Only fixed and permanent connection are allowed, plug and socket must not be used. In the case where a direct connection cannot be made to the water heater, only correctly sized approved connector and connection box shall be used.
- For connection within the shower cubicle and below the ceiling, the connection box shall be IPX5 rated.
- 5. An approved and correct size of PVC Cable / PVC Insulated Flexible Cables with maximum 1.5m length shall be used to connect the water heater to the connection box.
- 6. Minimum cable size must be not less than 4mm².
- 7. RCD at the main switch board of the premise need to test at least once a month.

Voltage	Power (kW)	Amperes (A)	Recommended Conductor Size (csa)			Fuse/	Double Pole
(V~)			mm²	Conduit Cable	Flexible Cable	MCB (A)	Switch (A)
220 - 50/60Hz	3.5	16.0	4.0	7/0.85mm	56/0.30	20	20
	4.5	20.5	4.0	7/0.85mm	56/0.30	32	32
	5.5	25.0	4.0	7/0.85mm	56/0.30	32	32
	6.0	27.3	4.0	7/0.85mm	56/0.30	32	32
	6.5	29.6	6.0	7/1.04mm	84/0.30	40	40
	7.5	34.1	6.0	7/1.04mm	84/0.30	40	40
	8.0	36.4	6.0	7/1.04mm	84/0.30	40	40
230 -	3.5	15.2	4.0	7/0.85mm	56/0.30	20	20
50/60Hz	4.1	17.8	4.0	7/0.85mm	56/0.30	32	32
30/60HZ	5.5	24.0	4.0	7/0.85mm	56/0.30	32	32
240 - 50/60Hz	3.8	15.8	4.0	7/0.85mm	56/0.30	20	20
	4.2	17.5	4.0	7/0.85mm	56/0.30	20	20
	4.5	18.8	4.0	7/0.85mm	56/0.30	32	32
	7.1	29.6	6.0	7/1.04mm	84/0.30	40	40
	9.5	39.6	6.0	7/1.04mm	84/0.30	45	45

Table 1: Electrical Loading Table

8. A typical electrical wiring connection is shown in diagram 1.



GENERAL INFORMATION

WATER:

- Heater with built-in Shower Pump works at minimum flow rate of 1.5 liters/min.
 Heater without built-in Shower Pump works at minimum flow rate of 2 liters/min. Note that heater model without built-in Shower Pump an incoming water with consistently flow rate of 5 liters/min and above would excel its performance.
- 2. A typical plumbing connection is shown in diagram 2.

SAFETY:

Note: An approved type of Residual Current Device (RCD) of 10mA sensitivity shall be installed in conjunction with the heater.

- The built-in Earth Leakage Sensing Device (ELSD) will cut off the power supply to the heater in the event of current leakage of as low as 15mA.
- Upon power on at mains, the heater will perform 10 seconds 'self-test' routine. If the ELSD is in proper working condition after the 'self-test', the AUTO TEST indicators will light up GREEN and heater will be in power. If ELSD is faulty, its AUTO TEST indicators will blink RED and power will be cut off from heater.
- The built-in Line Fault Detector will indicate 'GREEN' light if wiring is done correctly or 'RED' light if improper electrical wiring is detected.
- 4. The heater operates when there is sufficient water to trigger the Flow Switch.
- 5. The Thermal Cut-out will automatically cut-off the power supply if there is abnormal rise in the water temperature during shower.
- 6. Heater casing designed to a high degree of protection (IP25), it prevents water from entering into the heater during shower.

IMPORTANT NOTE:

- This heater is tested suitable for use in the shower cubicles. However, do not install the heater unit where is consistent spray directly over the unit.
- If the heater's ELSD trips during normal operation, switch off the mains supply and contact the service center for repair(s).
- 3. If the Auto Test and Line Fault Indicator indicate RED light, switch off the mains supply and contact a qualified electrician to check the electrical supply line (refer Page 11 for possible cause(s)).
- 4. In the event if the heater malfunctioned, never attempt to repair the unit by yourself.
- The water inlet of this appliance shall not be connected to inlet water obtained from any other water heating system.
- 6. The outlet point of this heater, hose and handshower act as a vent. They must not be blocked, obstructed or modified in any way. Fittings not recommended by manufacturer must not be connected. The use of unapproved accessories may not only affect its performance and safety of the user but also voids its warranty.
- 7. If there is a sudden reduction of incoming water, the shower temperature will increase. This does not indicate the fault of the heater. Adjust the Temperature Control Knob (to reduce heating power) or Water Regulator (to increase flow) in order to get the desired shower temperature.
- 8. Always test the water spray temperature with your hand before stepping into the shower.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- 10. Children should be supervised to ensure that they do not play with the appliance.
- The new hose-sets supplied with the appliance are to be used and that old hose-sets should not be reused.

INSTALLATION PROCEDURES

IMPORTANT:

- All plumbing work shall be completed before proceeding to electrical wiring connection.
- Metalic / Chromed hose and conductive control valve shall not be used (in Malaysia only- Malaysian government's regulations. Optional for others).
- Heater outlet shall not be connected to any form of tap or fittings not recommended by manufacturer.
- The heater unit must be installed on solid wall to avoid the possibility of distorting the unit.
- · Inlet and Outlet connections of the heater shall not be reversed.


1. Decide the mounting position:

- a) Turn off the water source.
- b) Remove screw at the bottom of the heater.
- c) Remove Heater Cover by lifting the bottom upward.
- d) Mark out 4 mounting points on the wall.




Note

It is recommended that mount the bottom of the heater be 1.50 meters /5 feet above the floor of the bathroom. However the height of the installation level is at the discretion of the user.




2. Mounting of the heater:

- a) Drill the 4 holes with 5.0mm diameter drill bit.
- b) Put in the wall plugs and install the heater to the wall with screws provided.




3. Shower Accessories Installation:

- a) Fix the Shower Holder and Rail Supports (Top and Bottom) on to the Sliding Rail.
- b) Mark the positions of the 2 holes of the Rail Supports - be sure that the top portion is in level or not higher than the top of the heater.
- c) Drill the holes and mount the shower accessories with wall plugs and screws provided. Insert the Rail Support Brackets on to the Rail Supports.



7



INSTALLATION PROCEDURES

5. Electrical Connection:



CAUTION:

- Make sure the electrical mains is off before carrying on the electrical work.
- Plug, socket and undersize cable shall not be used.
- a) Insert electrical cable through the rubber grommet for Side Entry or Wall Embedded Entry.
- b) Connect cable to Terminal Block and fully tighten them as follows:

RED or BROWN LIVE (L)
BLACK or BLUE NEUTRAL (N)
GREEN/YELLOW or
YELLOW/GREEN EARTH (
)

- c) Replace the Heater Cover:
 - To ensure correct position, turn the Electronic Control Unit and Pump Control Unit (at Heater Base) to the off position (as shown in picture).
 - ii) Install the heater cover and ensure that the Temperature Control Knob and Pump Control Knob are aligned (point to 'OFF') to their control unit accordingly.
 - iii) Secure the screw as shown.

6. Test Run Of Heater:


- a) Turn on Stop Valve.
- b) Switch on heater switch. The 'AUTO TEST' and 'LINE FAULT INDICATOR' will light up. Proceed to step (c) if 'AUTO TEST' and 'LINE FAULT INDICATOR' displays green light.





CAUTION:

Stop using the heater and check the wiring if 'AUTO TEST' and 'LINE FAULT INDICATOR' displays RED light (refer page 11 for possible causes).

- c) Turn on the Temperature Control Knob. The 'HEATER' indicator will light up. The water should be warm in a few seconds.
- d) The water would get warmer as the Temperature Control Knob is turned clockwise.
- e) Check the built-in ELSD as follow:
 - Press 'TEST' button: unit should trip and cut off power supply.
 - Press 'RESET' button: unit should resume normal function.
 If the above mentioned steps prevail, the ELSD is functioning normally.









OPERATING PROCEDURES

 Switch on the heater switch outside the bathroom. The 'AUTO TEST' and 'LINE FAULT' indicator would light up.



CAUTION:


'AUTO TEST' and 'LINE FAULT INDICATOR' must indicate green. Otherwise the unit must not in use and contact agent for repair.


- 2. Turn on the Stop Valve. Adjust the Water Regulator for suitable water shower volume.
- 3. Turn on Temperature Control Knob. The 'HEATER' indicator would light up. The shower would get warmer as the Temperature Control Knob is turned clockwise from 'ON' to 'MAX'.
- 4. Normal cold shower can be selected by setting the Temperature Control Knob to 'OFF' position.
- 5. Switch off the heater switch when not in use.


Note:

- The shower water may not be hot enough even at 'MAX' in areas whereby the water pressure
 is exceptionally high and cold. This can be remedied by reducing the water inflow or
 replacing the unit with one that is of higher power (if it is approved by relevant authorities).
- The built-in shower Pump can be independently controlled by using the Pump Control Knob. In low pressure areas (below 15 p.s.i.), adjust pump speed to obtain desired spray of water. If water pressure is high (over 15 p.s.i.), turn "OFF" the Pump Control Knob to achieve hotter shower. (Model Smart 18EP/18i)
- The Pump Activator is specially designed for low pressure areas whereby the water pressure is too weak to trigger the built-in shower Pump. Just press the Pump Activator Button and the built-in shower Pump will spring into action. (Model Smart 18EP/18i)
- It is recommended that the built-in shower Pump be operated at intervals of 30 minutes with 30 minutes rest in between. (Model Smart 18EP/18i)

CUSTOMER GUIDANCE










Green light indicates proper electrical connection.

Bottom Fix Plate



MAINTENANCE:

Sliding Rail Rail Support Rail Support Bracket

Flexible Hose



DO NOT USE THINNER, ALCOHOL OR PETROL

You may clean the heater with a damp cloth and mild detergent but do not use thinner, alcohol, petrol or any other corrosive solutions.

Diverter -

a) Stop Valve Filter Mesh Cap Filter Mesh

b) Handshower

CLEAN THE FILTER REGULARLY

The filter should be cleaned whenever there is a sign of inlet water blockage. a) Stop Valve

Remove Filter Mesh Cap. Flush it with water to remove any trapped sediments. Slot back to its original position before securing it with the Filter Mesh Cap.





- Handshower need to be descaled regularly.
- Disconnect the handshower from the hose. Remove Filter Mesh Washer and flush it with water to remove any trapped sediments. Re-connect the handshower to the hose in its original position.

Note:


- Make sure to turn off the incoming water supply before the operation.
- This has to be done more regularly in area whereby the inlet water supply is dirty.
- The design of the Stop Valve may look different from the picture shown in the manual as it is subjected to requirement from different countries.







ALPHA Smart 18E/EP/i (M) H01K00038 (14.8cm(W) x 21cm(H)_15.11.2023 Booklet ($\frac{1}{2}$ A4)



ALPHA Smart 18E/EP/i (M) H01K00038 (14.8cm(W) x 21cm(H)_15.11.2023 Booklet ($\frac{1}{2}$ A4)

GENERAL INFORMATION

SPECIFICATIONS

Heater Power Rating		4.1-4.5kW 230V-240V~ 50Hz		
Treater Fower Hatting		3.5 - 3.8kW 230V - 240V~ 50Hz		
Others Power Rating		Refer to Electrical Loading Table for reference		
Water Connection		Ø 15.0mm (½" BSP)		
Operating Condition		Open Outlet		
Protection Against El	ectric Shock	Class I		
Water Temperature 0	Control	Electronics		
Degree Of Protection	ı	IP25		
Minimum Flow Rate		2 liters / minute		
Minimum Pressure		20kPa (0.2 bar / 2.9 psi)		
Maximum Inlet Press	ure	0.38MPa (3.8 bar / 55 psi)		
Heater Dimension		230mm (W) x 413.50mm (L) x 104mm (H)		
	Smart 18E / 18E SP	1.4kg		
Heater Nett Weight	Smart 18EP / 18EP SP	2.5kg		
	Smart 18i / 18i SP	2.0kg		

Instruction manual can be downloaded from: www.alphamalaysia.com

ALPHA Smart 18E/EP/i (M) H01K00038 15.11.2023

^{*} The product's specifications and shower accessories shown in this manual are correct at the time of printing and subject to

change without prior notice.

* All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without prior permission in writing of Alpha Electric Co. Sdn. Bhd.